

PRICE LIST



Splits Mounting Accessories



www.klimaimport.de®



CAREFUL

The present Price List suffers continuous changes, due to price updatings of our suppliers, the change in value of the euro over the dollar, etc.

BEFORE PLACING YOUR ORDERS, WE ADVICE YOU TO CONSULT ALWAYS THE UPDATING PRICES AT OUR COMMERCIAL DEPARTMENT

Table of contents

	Page		
01	SUPPORTS FOR OUTDOORS UNITS "SOPORT-ESC".....	1 to 9	COMPRESSORS "BRISTOL".....
	UNIVERSAL ADJUSTABLE FRAMEWORK "BIG FOOT".....	7	SCROLL COMPRESSORS "DWM COPELAND".....
	ADJUSTABLE EQUIPMENT FOR INSTALLATION OF UNITS.....	9	HERMETIC COMPRESSORS "ACC".....
CA	TAYLOR-MADE BRACKETS FOR AIR-CONDITIONERS.....	11	HERMETIC COMPRESSORS "ASPERA-EMBRACO".....
	BEAM CLAM CASTED.....	11	HF
	FIXING SYSTEMS ABOVE METAL BEAM.....	12	TUBE CUTTING.....
	FIXING SYSTEMS ABOVE HOLLOW WALL.....	12	PIPE CUTTER PVC, PE, PVDF.....
02	BOLT FOR SPLIT ASSEMBLY.....	10	FLARING TOOLS.....
	ANTIVIBRATION DAMPERS AND FIXING SCREWS.....	13	REAMERS.....
03	DUCT "ESC-CONDUCT".....	14 to 16 and 20	ELECTRIC FLARING TOOL.....
	FIXING SYSTEMS FOR DRAINAGE CHANNELS.....	16	TUBE BENDING TOOLS.....
	DUCT "FLUID-QUINT".....	17 and 18	SERVICE TOOLS (SCREWDRIVERS,
	DUCT COVER WITH PLASTIC PROTECTION "UNEX".....	19	SPANNERS, PLIERS, BELTS, FIN COMBS.....
	AESTHETIC FRONT DUCT.....	21	CLEANING EQUIPMENT FOR REFRIG. SYSTEMS.....
	ANGULAR MITER CUTTER FOR DUCT.....	20	CHARGING CYLINDER FOR GASES.....
	BOX TO FIT PRE-INSTALLATION.....	22	VACUUM PUMPS.....
	CONDENSATED WATER AIR TRAPS (SYPHON).....	22	CASE AND OIL FOR VACUUM PUMPS.....
04	BAD ODORS VALVE.....	21	RECOVERY AND REFILL EQUIPMENT "WITHOUT OIL".....
	DRAINS FOR CONDENSED FLUIDS (TRAYS, CANS,		MANIFOLDS.....
	ACOUSTIC CONTROLLER, FLEXIBLE AND		LIQUID STATE REFRIGERANT CHARGER.....
	RIGID OUTLET PIPES, ACCESSORIES).....	23 to 27	MANIFOLD CASES "ESCOFRED".....
06	CONDENSED REMOVAL PUMP "ESCOCLIMA".....	27	MANOMETERS.....
	CONDENSED REMOVAL PUMP "SAUERMANN".....	28 to 30	CHARGING HOSES.....
	DRAINAGE PUMP "EASY 10".....	31	GLYCERINE MANOMETER TYPE 1.....
	CONDENSED REMOVAL PUMPS "MUNDOCLIMA".....	31 and 36	ELECTRONIC ANALYSER.....
	CONDENSED REMOVAL PUMP "ASPEN".....	32 to 35	TOOL CASES FOR REFRIG. ENGINEERS "ESCOFRED"
	MINI-PUMP FOR DUCT «MINI AQUA».....	32	«R-22, R-134A, R-404A and R-407C».....
	CONDENSED REMOVAL PUMPSS "BLUE DIAMOND".....	35	TOOL CASES FOR REF. ENGINEERS "ESCOFRED" «R410A».....
	CONDENSED REMOVAL PUMP "LITTLE GIANT".....	36	ELECTRONIC VACUUM GAUGE.....
	CONDENSED REMOVAL PUMP "ESCOBOMB".....	36	DIGITAL CHARGING SCALES.....
07	ELECTRICAL ACCESSORIES "ESCOELECTRIC".....	37 to 39	OIL TRANSFER.....
11	SPLITS PROTECTION SYSTEMS (COVERS, ETC.).....	40	LEAK DETECTORS.....
	COVERS FOR VALVES OF CONDENSING UNITS.....	40	INJECTOR IN LINE.....
TF	DOUBLE INSULATED COPPER TUBE WITH FLARED JOINT.....	41	AUTOGENOUS-WELDING EQUIPMENTS.....
	COPPER TUBES IN ROLLS AND BARS.....	42	MA
	COPPER AND BRASS FITTINGS.....	43 to 46	HIGH PRESSURE HYDROCLEANERS.....
	HEAVY DUCT PIPE CLAMP WITH EPDM RUBBER M8.....	46	ATOMIZERS FOR CLEANING.....
	VALVES AND QUICK CONNECTIONS "SPLITS".....	47	AIR-CONDITIONER DISINFECTANT.....
	STRAIGHT PASS VALVES WHEEL.....	47	PLUNGER FOR TRAYS, TOILETS, ETC.....
	LOADING VALVES AND ACCESSORIES.....	48	COIL CLEANER.....
	FIXING OF INSULATED PIPES.....	51	ZINC PLATED IN COLD.....
IA	INSULATED BRACKETS FOR TUBES.....	47	SEALING FOR THREADS AND REFRIGERANTS.....
	INSULATION FLEXIBLE TUBE M1 "ISOCELL".....	49	LEAK DETECTOR SMOKE-PRODUCING CARTRIDGES.....
	ROLL OF TUBULAR INSULATION.....	50	FOLDABLE CART.....
	SHEETS OF TUBULAR INSULATION.....	50	LIFTS.....
	ADHESIVE TAPES «ALUESC».....	50	METAL DETECTORS.....
	ANTI-CONDENSATION TAPE FOR COOL.....	51	INSPECTION MIRRORS.....
AV	RUBBER ANTIVIBRATORS.....	45	TELESCOPIC BAR WITH MAGNET.....
	ANTIVIBRATION RUGS.....	52 and 55	ACID ANALYSER AND NEUTRALIZER.....
	CEILING RUBBER SUPPORTS.....	53	LUBRICANT/FRICTION REDUCER.....
	BOLTS AND ACCESSORIES.....	53	VACUUM CLEANERS.....
	METAL ANTIVIBRATORS.....	54	LEVELS, SQUARES, TAPE MEASURES.....
GF	REFRIGERANT GASES.....	56	DRAWERS FOR PILLING UP.....
	REFRIGERANT GASES IN DISPOSABLE CONTAINER.....	56	ALUMINIUM LADDERS.....
	OILS FOR COOLER SYSTEMS.....	57	IM
	CLEANING PRODUCT FOR REFRIG.....	83	DIGITAL TEMPERATURE MEASUREMENT.....
CF	SPEED CONTROLS IN TERMS OF PRESSURE		ANEMOMETERS.....
	AND TEMPERATURE.....	57	AMPERIMETRIC PINCERS AND MULTIMETERS.....
	MINIATURE PRESSURE CONTROLS.....	58	HYGROMETERS.....
	FOUR-WAY VALVE.....	58	TACHOMETER.....
VF	MUFFLERS.....	58	DISTANCE MEASURER.....
	FILTER DRIER.....	59 and 60	DIGITAL SONOMETERS.....
MF	COMPRESSORS "SCI-MITSUBISHI".....	61 and 64	CO
	STARTER CONDENSERS.....	62	UNIVERSAL REMOTE CONTROL.....
	COMPRESSORS "MANEUROP".....	65 and 66	CA
			ALUMINIUM SUPERFLEXIBLE TUBES.....
			FIXING OF FLEXIBLE TUBES TO FIBRE DUCT
			(SLEEVES, POLYAMIDE CLAMPS, METAL STRIPS).....
			118 and 119
			CV
			VENTILATION BOX "ESCOCLIMA".....
			ACCESSORIES FOR VENTILATION BOXES.....
			120
			CL
			AIR CONDITIONERS "MUNDOCLIMA" (WINDOW, SPLITS, MULTISPLITS,
			INVERTER, TYPE CASSETTE, CORNER TABLE, FLUE & FLOOR
			STANDING AND WALL HEATER).....
			122 to 147
			PORTABLE AIR-CONDITIONER "ESCOCLIMA".....
			148 to 150

• Fixing for drain hose (continues)



Fixing-ring



Staple

Part No.	Item	€
POLYAMIDE SIMPLE STAPLE WITH PLUG		
AS 04 321	Fixing-Ring Ø 16 black	100
AS 04 322	Fixing-Ring Ø 18 black	100
AS 04 323	Fixing-Ring Ø 20 black	100
AS 04 325	Fixing-Ring Ø 25 black	100
GALVANIZED METAL SIMPLE STAPLE		
AS 04 331	Staple Ø 16	100
AS 04 333	Staple Ø 20	100
AS 04 335	Staple Ø 25	100
AS 04 337	Staple Ø 32	100
AS 04 339	Staple Ø 40	100

• Drain hose elbow

Part No.	Item	€
AS 04 051	<ul style="list-style-type: none"> It can be applied to the main condensers of the market It is delivered with a joint and 2 stoppers Ø19 Drain hose elbow 	5.80
AS 04 052	<ul style="list-style-type: none"> It allows to plug all the unusable holes of the condensers Additional stopper for the drain pipe elbow Ø19 	1.80
AS 04 053		3.80
AS 04 055	<ul style="list-style-type: none"> Provided with 2 stoppers for drill Ø32 mm Ø32 mm Drain hose elbow 	7.00

• Condensated water air traps (syphon)

Código	Artículo	€
ORIENTABLE SYPHON		
AS 03 933	<ul style="list-style-type: none"> With air purge and plug Orientable with joint Ideal for electric boxes 	10.76
HORIZONTAL/VERTICAL SYPHON		
AS 03 934	<ul style="list-style-type: none"> Inlet Ø20 mm (A and C) Reduced inlet Ø20-18-16 (B) Ideal corrugated tubes 	15.36
HIGH CAPACITY TUBES 3/4"		
AS 03 938	Mod. EZT-113B, includes: <ul style="list-style-type: none"> Plate union Transparent elbow 180° Joint cross with covers Flexible cleaning brush T with cover 	40.60



Ø19




Ø32





Orientable Syphon



Horizontal/vertical syphon



THE UPPER PART MUST BE LEVELED





CONDENSED LINE

06 CONDENSED REMOVAL PUMP WITH A DEPOSIT INSTALLATION "VISTA"



Part No.	Item	€
PUMP «MASTONE»		
AS 06 801	Pump to install at wall "vista". It can be installed just under the indoor unit, thanks to its aesthetic design <ul style="list-style-type: none"> • Deposit of 300 cm³ • Elevation 2 mts • Capacity 30 lts/h • Outlet of a pipe Ø6x4 • Light function controller • Power: 10 W 1 Box of 10 units 2 Boxes of 20 units	170.00 150.00/unit 120.00/unit
PUMP «MASTONE PLUS»*		
AS 06 803	Wall mounting pump, under unit with direct drainage. Attractive design for interior ambients <ul style="list-style-type: none"> • Tank 550 cm • Normal height 1.5 mts; maximum 3.5 mts. • Capacity 60 lts/h • Tube outlet Ø6x4 • Power: 23 W • Sound level 40 dB • Weight: 1.6 Kg • Dimensions: 180x150x105 mm 1 - 5 units 6 - 10 units 11 - 24 units 25+ units	180.00 160.00/ut 140.00/ut 120.00/ut

*Includes plate, screws and fixing bolts in the wall.



The solution to the bothering condensate!




COMPACT DRAINAGE PUMPS



Code	Item	€
PUMP «CP 100»		
AS 06 811	<ul style="list-style-type: none"> • Max. flow rate: 18 lts/h • Max height of elevation: 20 m • Dimensions: 46x50x134 mm • Outlet pipe Ø6x5 • Inlet filter • Voltage: 230V 50Hz, fastón connection (included) • It can be fixed at wall, floor or ceiling 1 UNIT 5 UNITS 10 UNITS	188.00 178.00/unit 164.00/unit

06 CONDENSED REMOVAL PUMP



Part No.	Item	Max. flow rate	€
AS 06 003	PUMP MINI «EASY 10» Special for splits until 10 Kw		170.00 164.00/unit 156.00/unit 150.00/unit
	<ul style="list-style-type: none"> • 3 Level float switch: Start/On/Alarm • Max. elevation: 6 m • Power: 18 W • Voltage: 230V 50/60Hz • Maximum intake: 1.5 m • Dimensions: pump 55 x 55 x 42 mm detector 55 x 38 x 32 mm 1 Unit 5 Units 10 Units 25 Units		
AS 06 001	MINI PUMP «SI 2750» Special Splits up to 10 kW		165.00 159.00/unit 153.00/unit 147.00/unit
	<ul style="list-style-type: none"> • Three level float switch: Start / Stop / Alarm • Maximum elevation: 6 metres • Power: 18 W • Maximum intake: 2 metres • Noise level: 30 dB(A) • Dimensions: Pump: 75 x 38 x 60 mm. Detector: 55 x 38 x 35 mm. 1 UNIT 5 UNITS 10 UNITS 25 UNITS		
AS 06 006	SILENT MINI PUMP «SI 3080 / SI 3200»		187.50
	<ul style="list-style-type: none"> • Three level float switch: Start / Stop / Alarm • Maximum elevation: 6 metres Mod. SI 3080 <ul style="list-style-type: none"> • Maximum elevation: 1 metre • Maximum impulsion: 6 metres • Power: 10 W • Noise level: 28 dB • Dimensions: Pump: 66 x 44 x 60 mm. Detector: 55 x 38 x 32 mm. 8 l/h		
AS 06 008	Mod. SI 3200 <ul style="list-style-type: none"> • Maximum elevation: 2 metres • Maximum impulsion: 6 metres • Power: 18 W • Noise level: 34 dB • Dimensions: Pump: 66 x 44 x 60 mm. Detector: 55 x 38 x 32 mm. 20 l/h		210.00
AS 06 005	PUMP WITH FLOAT «SI 1730» Special Cassettes and Splits up to 30 kW		270.00
	<ul style="list-style-type: none"> • Three level float switch: Start / Stop / Alarm • Maximum intake: 2.5 metres • Maximum elevation: 10 metres • Power: 35 W • Dimensions: Pump: 95 x 74 x 52 mm. Detector: 55 x 40 x 35 mm. 30 l/h		

06 CONDENSED REMOVAL PUMP



EE 1650



SI 1805
SI 1820



PE 5000



PE 600



PE 6250

Part No.	Item	Max. flow rate	€
AS 06 011	INTEGRATED PUMP WITH DEPOSIT «EE 1650» Special Air-conditioner up to 30 kW	30 l/h	333.00
	<ul style="list-style-type: none"> • Three level float switch: Start / Stop / Alarm • Maximum elevation: 13 metres • Power: 35 W • Dimensions: Pump: 159 x 84 x 100 mm. 		
AS 06 013	CENTRIFUGAL PUMP WITH DEPOSIT «SI 1805 / 1820»	500 l/h	135.00
	<ul style="list-style-type: none"> • Three level float switch: Start / Stop / Alarm • Maximum elevation: 5.4 m • Power: 30 VA 		
AS 06 014	SI 1805 (Deposit 0.5 lts) • Dimensions: 195 x 130 x 122 mm	500 l/h	138.00
	SI 1820 (Deposit 2 lts) • Dimensions: 200 x 125 x 170 mm	500 l/h	
	PERISTALTIC PUMPS		
	<ul style="list-style-type: none"> • Maximum intake: 2 metres • Maximum elevation: 12 metres • Power: 11 W • Dimensions: 102 x 109 x 91 mm 		
AS 06 021	Mod. PE 5000 Activated through compressor signal (without detection)	6 l/h	233.00
AS 06 022	Mod. PE 5100 Activated through temperature sensors		309.00
AS 06 023	Mod. PE 5200 Activated through a detection block (included). Alarm contact 8A N.C.		255.00
AS 06 029	PERISTALTIC PUMP AGAINST LEGIONELA	1.5 l/h	588.00
	Mod. PE 600 <ul style="list-style-type: none"> • Daily timer of 24 horas intervals of 15 minutes • Timer from 2 to 18 minutes • Maximum intake: 2 meters • Maximum elevation: 15 meters • Power: 3.5 W 		
AS 06 024	PERISTALTIC PUMP BIG FLOW		593.00
	Mod. PE 6250 <ul style="list-style-type: none"> • Designed to remove dirty water • Maximum intake: 2 meters • Maximum elevation: 10 meters • Power: 66 W 		

06 CONDENSED REMOVAL PUMPS



DELTA PACK 1082



SMALL PUMP MONOBLOC

Rubber tray-pump



Reduction pipe



Self-adhesive fixing base



Adapter auto-fixing



Filter in-line



Mounting kit SI 2750



Extending wire with connector

Detection block SI 1730/1750

Part No.	Item	Max. flow rate	€
	IN LINE PUMP «DELTA PACK 1082»		
AS 06 031	<ul style="list-style-type: none"> • Maximum elevation: 6 m • Built-in detector • Power: 10 W • Noise level: 28 dB(A) • Levels: Start 18 mm Stop 12 mm Alarm 21 mm • Inside dimension: 165 x 165 x 60 • Outside dimension (duct): 780 x 185 x 70 	8 l/h	210.00
	SMALL PUMP MONOBLOC		
AS 06 030	Mod. SI 1082 Monipiece water pump with built-in detection Made in one single piece <ul style="list-style-type: none"> • Maximum elevation: 6 m • Power: 10 W • Noise level: 28 dB(A) • Dimensions: 66 x 44 x 77 	8 l/h	161.00
	ACCESSORIES		
AS 06 041	Reduction pipe Ø17 to Ø22		11.50
AS 06 042	Reduction pipe Ø17 to Ø32		14.50
AS 06 043	Reduction pipe Ø17 to Ø32 with flow reduc.		17.00
AS 06 044	Adapter auto fixing for evacuation pipe of condensed Ø6/9		6.80
AS 06 045	Self-adhesive fixing base pump with screws		6.50
AS 06 046	Insulating adhesive with double coat for detection block 45 x 32 x 3 mm		3.60
AS 06 047	Rubber tray-pump 50 cm		10.50
AS 06 051	Extending wire with 3 m connector		27.00
AS 06 052	Extending wire with 5 m connector		33.00
AS 06 053	Filter in-line for EE 1750 and SI 2750		9.90
AS 06 054	SI 2750 mounting kit composed of: <ul style="list-style-type: none"> - Ø 6/9 evacuation adaptor - Anti-vibration fixing kit - Rubber Ø 15 x 15 mm 90° elbow - Flexible derived Ø 15 adaptor 		34.50
	SPARE PARTS		
AS 06 055	SI 2858 Detection block SI 2750, SI 3080, SI 3100, SI 3200 and PE 5200		61.50
AS 06 057	SI 2758 Detection block SI 1730/1750		69.00
AS 06 025	PE 5002 Pipe for peristaltic pump PE 5000, PE 5100 and PE 5200		26.25
	REPAIRS		
AS 06 099	Check the pumps, the filter, and its working		27.00

06 DRAINAGE PUMPS



• **Pumps with condensed removal deposit**



HI-FLOW



HIGH-LIFT



HEAVY DUTY

Part No.	Item	€
	PUMP «HI-FLOW»	
	<ul style="list-style-type: none"> • Max. height 4 mts. • 100 lts/h height 3 mts. • 200 lts/h height 1.5 mts. • Motor 0.2 A at 220V • Automatic stop and start by levelling • Input 2 up to Ø25 mm • Output 1 Ø6 mm 	
AS 06 101	HI-FLOW deposit 1 lt (Height 135, shaft 235x145 mm) 1 Unit 5 Units 10 Units 25 Units	128.00 123.00/unit 112.50/unit 105.00/unit
AS 06 102	HI-FLOW deposit 2 lts (Height 162, shaft 235x145 mm) 1 Unit 5 Units 10 Units 25 Units	135.00 128.00/unit 116.00/unit 110.00/unit
	QUIET PUMP «HIGH-LIFT»	
	<ul style="list-style-type: none"> • Peristaltic pump • Flow rate: 11 lts/h height 12 mts. • Temperature: 0 - 100° C • Motor 0.2 A at 220V • Automatic stop and start by levelling • Security level with an auxiliary circuit to stop machine 	
AS 06 105	HIGH-LIFT deposit 1 lt (Height 120, shaft 240x140 mm)	228.00
AS 06 106	HIGH-LIFT deposit 2 lts (Height 162, shaft 240x140 mm)	240.00
	PUMP HIGH-CAPACITY «HEAVY DUTY»	
	<ul style="list-style-type: none"> • Double level: one for the working of the pump, and the other for security, with terminals to switch off the equipment • Deposit capacity 4 lts • Input 2 up to Ø40 mm • Output 1 Ø10 mm 	
AS 06 107	<ul style="list-style-type: none"> • Flow rate: 900 lts/h • Discharge height: 6 mts • Height 235, shaft 300 x 150 mm HEAVY DUTY 6	210.00
AS 06 108	<ul style="list-style-type: none"> • Flow rate: 1250 lts/h • Discharge height: 8 mts • Height 265, shaft 300 x 150 mm HEAVY DUTY 10	345.00


• **Mini-pump for duct «MINI AQUA»**



ONLY 28 x 28 mm

TO BE INSTALLED IN THE DUCT

Part No.	Item	€
	PUMP «MINI AQUA»	
	<ul style="list-style-type: none"> • Max. flow 14 lts/h • Max. height 8 mts. • Max. intake: 1 metre • Power: 15W 220V 50/60Hz • Dimensions: 28 x 28 x 165 mm • Discharge tube Ø6 mm (included) • Assembled reservoir 	
AS 06 100	MINI AQUA 1 Unit 5 Units 10 Units 25 Units	140.00 136.00 133.00 128.00



06 DRAINAGE PUMPS



STANDARD



MECHANICAL



Check Valve



UNIVERSAL



ECONOMY HOT




HEAVY DUTY HOT

• Peristaltic pumps

General data:

- Height 175, shaft 142 x 83 mm
- Suction: 2 mts.
- Discharge: 12 mts.
- Flow rate: 6.25 lts/h at 12 mts.
- Temperature: 0 - 100° C
- Test switch
- Dry working
- Very silent
- Input/output tube Ø6 mm

Part No.	Item	€
	PUMP «STANDARD»	
AS 06 111	Thanks to dry working, the pump can be connected in parallel with the indoor unit in cold circuit	210.00
	PUMP «MECHANICAL»	
AS 06 114	Includes level control system, mechanical float and 3 m cable for remote control	232.50
	PUMP «UNIVERSAL»	
AS 06 112	Includes 2 soundings to start up, in terms of difference in inlet and outlet temperature (7°C) of the indoor unit	258.00
	PUMP «MK4 WATER SENSOR»	
AS 06 113	Includes a liquid-level sensor, which starts and stops the pump when there is left water to evacuate (level 5 mm)	312.00
AS 06 121	Spare silicone tube	19.50
AS 06 120	Can of grease for silicone tube	29.00
AS 06 122	Check valve 1/4" Ø 6/9 mm	9.00
AS 06 123	Check valve 3/8" Ø 10/14 mm	11.00



• Hot water pumps «Hot Water Tank»

Part No.	Item	€
	• To work with cycles of hot water drainage in air-conditioning systems, drying and hot water	
	ECONOMY HOT	
AS 06 117	• Discharge height 6 mts • Flow rate 900 lts/h • Stainless steel deposit of 4 lts • Input 2 up to Ø40 mm • Output 1 Ø10 mm	570.00
	HEAVY DUTY HOT	
AS 06 116	• Discharge height 15 mts • Flow rate 1800 lts/h • Stainless steel deposit of 5 lts • Input 2 up to Ø40 mm • Output 1 Ø15 mm	1020.00


06 DRAINAGE PUMPS

• MINI pump with duct inclosed




Part No.	Item	Max. flow rate	€
AS 06 119	PUMP «MINI LIME»	14 l/h	180.00 174.00/unit 165.00/unit 150.00/unit
	<ul style="list-style-type: none"> • Max. elevation: 8 metres • Max. intake: 1 metre • Power: 20W at 220V, 50/60Hz • Reversible, it can be set up at the right side or at the left side of the machine • Max. flow rate: 14 lts/h • Pump dimensions: 79 x 93 x 44 mm • Weight: 0.31 Kg. The set MINI LIME includes: <ul style="list-style-type: none"> • Mini pump • Level incorporated in receiver 9 mm Off - 20 mm On - 25 mm Security • Elbow with joined pump • 800 mm duct 70 x 65 mm • Joint hubcap • Reduction from Ø6 to Ø4 mm 1 Unit 5 Units 10 Units 25 Units		

• MAXI pump with duct inclosed



Part No.	Item	Max. flow rate	€
AS 06 132	PUMP «MAXI LIME»	37 l/h	207.00
	<ul style="list-style-type: none"> • Max. elevation: 20 metres • Max. intake: 1 metre • Power: 21.5W to 220V, 50Hz • Reversible, it can be set up at the right side or at the left side of the machine • Max. flow rate: 37 l/h • Noise level: 35 db(A) • Thermal protection • Pump dimensions: 115 x 97 x 43 mm • Weight: 0.47 Kg. The set MAXI LIME includes: <ul style="list-style-type: none"> • Maxi pump • Level incorporated in receiver 9 mm Off - 20 mm On - 25 mm Security • Elbow with joined pump • 800 mm duct 70 x 65 mm • Poliviny tube of Ø6 and 2 meters length with one way valve • Conection diam. Ø15/20 500 mm • Isolation Ø10x9 and length 750 mm • Wall frame of 70 x 60 mm • Screws and wall plugs for fixing. • 2 polyamide clamp white colour with dimension 150 x 4.5 mm 		





06 DRAINAGE PUMPS “multipurpose”



Part No.	Item	€
AS 06 115	PUMP «MINI ORANGE»	135.00 132.00/unit 130.00/unit 128.00/unit
	<ul style="list-style-type: none"> • Max. elevation: 13 metres • Max. intake: 1 metre • Power: 10W • Voltage: 230V, 50/60 Hz • Max. flow rate: 14 lts/h • Pump dimensions: 42 x 122 x 38 mm • Weight: 0.23 Kg. • 2 Liquid-level deposits 42 x 70 x 40 mm (one to mount in trays of indoor units and another to mount direct to the pipe) 	
	1 Unit	
	5 Units	
	10 Units	
AS 06 118	PUMP «MAXI ORANGE»	173.00
	<ul style="list-style-type: none"> • Max. elevation: 20 metres • Max. intake: 1 metre • Power: 21.5W • Voltage: 230V, 50Hz • Max. flow rate: 37 lts/h • Pump dimensions: 66 x 122 x 44 mm • Weight: 0.45 Kg. • 2 Liquid-level deposit 42 x 75 x 40 mm (one to mount in trays of indoor units and another to mount direct to the pipe) 	
	1 Unit	
	5 Units	
	10 Units	

DRAINAGE PUMPS



Part No.	Item	Max. flow rate	€
AS 06 924	<ul style="list-style-type: none"> • Extremely silent • Supply 230V • Thermal protection • Operation by rotary diaphragm allows working in suspension exits and dirty fluids. 	8 l/h	240.00
	“MINIBLUE” PUMP		
	<ul style="list-style-type: none"> • Discharge height: 10 mts • Aspiration height: 5 mts • Consumption: 70 mA • Without sensor • Dimensions: wide 51 x height 64 x long 90 mm 		
	“BLUEDIAMOND” PUMP		
AS 06 925	<ul style="list-style-type: none"> • Flow 50 l/h • Discharge height: 20 mts • Aspiration height: 7 m • Dimensions: wide 51 x height 64 x long 276 mm 	50 l/h	366.00
AS 06 926	Blue Diamond Level <ul style="list-style-type: none"> • Detects water and starts. The auxiliary contact disconnects the conditioner 		366.00
AS 06 926	Blue Diamond Sensor <ul style="list-style-type: none"> • Two temperature probes model which are place in the air intake and outlet 		366.00



06 CONDENSED PUMPS



DEP-300H



Mods. MD



Float switch



Sound/light alarm

Part No.	Item	Flow max.	€
PUMP «DEP-300H»			
AS 06 825	<ul style="list-style-type: none"> • Max. height: 4.3 m • Retention valve incorporated • 1.9 litres tank • 2.5 m electrical cable • Voltage 230 V 50 HZ • Dimensions 178 x 288 x 127 mm 	250 l/h	108.00
PUMP «MD 400»			
AS 06 855	<ul style="list-style-type: none"> • Maximum height: 4 m • Maximum flow: 400 l/h • Includes check valve • 2 l tank • Voltage 220V 50/60Hz • Dimensions: 185 x 135 x 256 mm • Power: 65 W • Optimal alarm level switch • Sound/light optional alarm 	400 l/h	127.50
PUMP «MD 600»			
AS 06 856	<ul style="list-style-type: none"> • Maximum height: 6 m • Maximum flow: 450 l/h • Includes check valve • 2 l tank • Voltage 220V 50/60Hz • Dimensions: 185 x 135 x 256 mm • Power: 100 W • Voltage 230 V 50 HZ • Sound/light optional alarm 	450 l/h	147.00
PUMP «MD 800»			
AS 06 857	<ul style="list-style-type: none"> • Maximum height: 8 m • Max flow: 535 l/h • Includes check valve • 2 l tank • Voltage 220V 50Hz • Dimensions: 185 x 135 x 256 mm • Power: 150 W • Optimal alarm level switch • Sound/light optional alarm 	535 l/h	195.00
OPTIONAL ACCESSORIES			
AS 06 861	Auxiliary float switch (level control)		16.25
AS 06 862	Sound/light optional alarm		48.75

CONDENSED EVAPORATOR



NO NEED FOR DRAINING HOSES



Part No.	Item	Flow max.	€
SINGLE MODEL			
AS 06 931	<ul style="list-style-type: none"> • Dimensions: 90 x 110 x 50 mm • Weight: 280 gr. • Voltage: 110/220V • Intensity: 2 Amp. 	2.5 l/h	125.00
DOUBLE MODEL			
AS 06 932	<ul style="list-style-type: none"> • Dimensions: 190 x 110 x 50 mm • Weight: 565 gr. • Voltage: 110/220V • Intensity: 4 Amp. 	5 l/h	173.00

06 CONDENSED PUMPS

Little GIANT

Part No.	Item	Flow max.	€
AS 06 901	PUMP «VCMA-20S»		149.00
	<ul style="list-style-type: none"> • Max. height: 4.3 m • Flow at 4 m: 70 l/h • 3/8" retention valve incorporated • 1.9 litres tank • IP20 motor protection • 1.8 m electrical cable • Voltage: 230V 50Hz • Dimensions: 178 x 288 x 127 mm • Weight: 2.4 Kg. 	204 l/h	
AS 06 902	PUMP «VCL-24S»		278.00
	<ul style="list-style-type: none"> • Max. height: 5.9 m • Flow at 4 m: 450 l/h • 3/8" retention valve incorporated • 3.8 litres tank • IP20 motor protection • 1.8 m electrical cable • Voltage: 230V 50Hz • Dimensions: 263 x 300 x 150 mm • Weight: 3.9 Kg. 	900 l/h	
AS 06 905	MINI PUMP «EC-400»		150.00 145.00 140.00
	<ul style="list-style-type: none"> • 3 Position float • Functions: Off / On / Alarm • Max. height: 12 m • Power: 20W at 230V, 50/60Hz • Dimensions: Pump 110 x 35 x 45 mm Detector 80 x 37 x 35 mm • Includes: 1 m drain tube of Ø4x6 150 mm drain tube of Ø4x6 	17 l/h	
	1 Unit		150.00
	5 Units		145.00
	10 Units		140.00



07 ELECTRICAL ACCESSORIES FOR AIR-CONDITIONING INSTALLATION


Código	Artículo	€
ADAPTERS SURFACE/PLUG		
AS 07 105	T adapter 2 ways 16 Amp.	3.44
AS 07 106	Cross adapter 3 ways 16 Amp.	5.10
SURFACE MÚLTIPLE		
AS 07 110	• Wire 1.5 m, 1.5 mm • Voltage 220/240V • 3500W Multiple surface 3 surfaces	7.80
AS 07 111	Multiple surface 4 surfaces	8.80
AS 07 112	Multiple surface 5 surfaces	9.70
WIRE ENLARGER		
AS 07 115	• Ground surface/plug • Section 3 x 1.5 mm Long 5 m	22.00
AS 07 116	Long 10 m	39.50
SURFACE PLUG		
AS 07 101	Surface 16A a 250V ground	4.60.
AS 07 102	Plug "Schuko" 16A 250V earth	3.00
AS 07 103	Plug "Schuko" 16A 250V earth 90°	3.50



2 ways adapter



3 ways adapter



Multiple surface



Enlarger



Plug Schuko



Surface



Plug Schuko 90°

07 ELECTRICAL ACCESSORIES FOR SPLIT ASSEMBLY

Part No.	Item	Box units	€
TRANSPARENT CONNECTION LEAD			
			€/ut
AS 07 131	Section 6 mm. 12 poles		2.28
AS 07 132	Section 10 mm. 12 poles		3.25
AS 07 133	Section 16 mm. 12 poles		5.14
CONNECTION BOXES IP54			
			€/ut
AS 07 141	Dimensions Ø80 x 45 mm (clip)	8	1.90
AS 07 142	Dimensions 80 x 80 x 50 (clip)	10	2.40
AS 07 143	Dimensions 100 x 100 x 55 (screw)	6	4.16
DUCT FOR ELECTRIC CONNECTION			
			€/m
AS 07 301	Miniduct 10-20 (80 units)	80	3.98
AS 07 302	Miniduct 16-16 (120 units)	120	2.52
AS 07 303	Miniduct 16-25 (80 units)	80	3.98
PIPE-CLAMP TO BIND AN ELECTRIC WIRE			
			€
<ul style="list-style-type: none"> • Natural polyamide colour BLACK • Self-extinguishable • Use: from -40 to 110°C 			
AS 04 311	Length 100 x 2.5 mm.	100	1.40/bag
AS 04 312	Length 200 x 4.5 mm.	100	7.20/bag
AS 04 313	Length 280 x 4.5 mm.	100	10.80/bag
CA 07 955	Length 550 x 7.8 mm.	100	0.80/unit
CA 07 959	Length 780 x 9 mm.	100	1.20/unit
CA 07 961	Length 1000 x 12.5 mm.	50	2.40/unit
<ul style="list-style-type: none"> • Polyamide colour WHITE 			
AS 04 315	Length 100 x 2.5 mm	100	1.40/bag
AS 04 316	Length 200 x 4.5 mm	100	7.20/bag
AS 04 317	Length 280 x 4.5 mm	100	10.80/bag
CA 07 969	ATC8 Alicates Tensado y corte (hasta 8 mm)	1	70.00
CA 07 970	ATC Pliers (fasten up a width of 13 mm)	1	147.00
AS 04 300	Adhesive plate for pipe-clamp	100	0.30/unit
STAPLE WITH STEEL SCREW			
			€/box
AS 07 284	Ø8 black (box 100 units)	100	6.64
AS 07 285	Ø9 black (box 100 units)	100	8.24
AS 07 286	Ø10 black (box 100 units)	100	9.98
AS 07 287	Ø12 black (box 100 units)	100	11.15
AS 07 293	Ø7 white (box 100 units)	100	6.56
AS 07 294	Ø8 white (box 100 units)	100	6.64
AS 07 295	Ø9 white (box 100 units)	100	8.24
AS 07 296	Ø10 white (box 100 units)	100	9.98
AS 07 297	Ø12 white (box 100 units)	100	11.15
CABLE GLANDS			
	Model	Ø Drill	Box units
			€
AS 07 322	QPG 11 6 8 16	50	1.04
AS 07 323	QPG 13 10 12 21	50	1.32
AS 07 324	QPG 16 12 14 23	50	1.62
AS 07 325	QPG 21 14 18 29	50	2.08
THREADED CABLE GLANDS			
AS 07 332	TPG 11	50	0.40
AS 07 333	TPG 13	50	0.42
AS 07 334	TPG 16	50	0.46
AS 07 335	TPG 21	50	0.66



Outlet through ones



100 uts. bags



Pliers ATC



Adhesive plate



White staple



Black staple



Cable Glands








Thread cable glands

07 ELECTRICAL ACCESSORIES FOR AIR-CONDITIONING INSTALLATION

Green electrical wire
 "Halogen Free"
 For the installation in public
 facilities according to
 ICT-BT



Part No.	Item	€/m
GREEN ELECTRICAL WIRE "Halogen Free"		
	<ul style="list-style-type: none"> • Hose: RZ1K • Maximum Voltage: 1000 V • Not reticulated polyethylene insulation and covered by flame retardant poliolefiny • 100 metres rolls 	
AS 07 061	Section 3 x 1.5	274,60
AS 07 062	Section 4 x 1.5	349,99
AS 07 063	Section 5 x 1.5	427,00
AS 07 064	Section 6 x 1.5	725,00
AS 07 065	Section 8 x 1.5	951,00
AS 07 071	Section 3 x 2.5	416,00
AS 07 072	Section 4 x 2.5	519,00
AS 07 073	Section 5 x 2.5	632,00
AS 07 074	Section 6 x 2.5	1045,00
AS 07 075	Section 8 x 2.5	1380,00
AS 07 082	Section 3 x 4	573,50
AS 07 083	Section 4 x 4	738,00
AS 07 084	Section 5 x 4	915,00
	 Does not spread fire  Does not emit toxic fumes in case of fire  Does not emit corrosive fumes  Does not spread flame  Does not emit opaque fumes in case of fire	
ACRYLIC HOSE RVK		
	<ul style="list-style-type: none"> • Acrylic hose RVK • Maximum voltage 1000 V • 100 metres rolls 	
WHITE ELECTRIC WIRE		
AS 07 015	Section 2 x 1.5	186,20
AS 07 016	Section 2 x 2.5	252,00
AS 07 002	Section 3 x 1.5	219,00
AS 07 012	Section 3 x 2.5	324,00
AS 07 006	Section 4 x 1.5	298,00
AS 07 014	Section 5 x 1.5	370,00
BLACK ELECTRIC WIRE		
AS 07 001	Section 3 x 1.5	219,00
AS 07 003	Section 3 x 2.5	325,00
AS 07 004	Section 3 x 4	503,00
AS 07 005	Section 4 x 1.5	295,00
AS 07 007	Section 4 x 2.5	449,00
AS 07 008	Section 4 x 4	651,00
AS 07 009	Section 5 x 1.5	369,00
AS 07 010	Section 5 x 2.5	565,00
AS 07 011	Section 5 x 4	840,00
AS 07 017	Section 6 x 1.5	499,90
AS 07 018	Section 6 x 2.5	799,00
AS 07 019	Section 8 x 1.5	649,00
AS 07 020	Section 8 x 2.5	1070,00
AS 07 031	Section 10 x 1.5	838,00
INTERCONNECTION WIRE		
AS 07 051	Section 2 x 1 WHITE	120,00
AS 07 052	Section 3 x 1 WHITE	161,00
AS 07 053	Section 4 x 1 WHITE	208,00
AS 07 054	Section 5 x 1 WHITE/BLACK	268,00



Interconnexion Wire

NOTE: The price of the wire changes every week according to the London Metal Exchange.

**07 ELECTRICAL ACCESSORIES
 FOR SPLIT ASSEMBLY**



Part No.	Item	E/m
UNIPOLAR WIRE		
<ul style="list-style-type: none"> • Hose: H07V-K • Insulating PVC T1 UNE 21031-1 • Maximum voltage: 450/750V • Maximum operating temperature 90°C 		
AS 07 407	Section 1.5 mm BLACK	200 m ROLL
AS 07 408	Section 1.5 mm BLUE	
AS 07 409	Section 1.5 mm BROWN	
AS 07 410	Section 1.5 mm GREY	
AS 07 411	Section 1.5 mm EARTH	
AS 07 412	Section 1.5 mm RED	
AS 07 413	Section 2.5 mm BLACK	200 m ROLL
AS 07 414	Section 2.5 mm BLUE	
AS 07 415	Section 2.5 mm BROWN	
AS 07 416	Section 2.5 mm GREY	
AS 07 417	Section 2.5 mm EARTH	
AS 07 419	Section 4 mm BLACK	100 m ROLL
AS 07 420	Section 4 mm BLUE	
AS 07 421	Section 4 mm BROWN	
AS 07 422	Section 4 mm GREY	
AS 07 423	Section 4 mm EARTH	
AS 07 425	Section 6 mm BLACK	100 m ROLL
AS 07 426	Section 6 mm BLUE	
AS 07 427	Section 6 mm BROWN	
AS 07 428	Section 6 mm GREY	
AS 07 429	Section 6 mm EARTH	
UNIPOLAR WIRE "Halogen free"		
<ul style="list-style-type: none"> • Hose: ES07Z1-K • Maximum voltage: 450/750V • Thermoplastic polyolefine insulation HFFR TIZ1 UNE 211002, 1 • Operation temperature 70°C 		
AS 07 457	Section 1.5 mm BLACK	200 m ROLL
AS 07 458	Section 1.5 mm BLUE	
AS 07 459	Section 1.5 mm BROWN	
AS 07 460	Section 1.5 mm GREY	
AS 07 461	Section 1.5 mm EARTH	
AS 07 463	Sección 2.5 mm NEGRO	200 m ROLL
AS 07 464	Sección 2.5 mm AZUL	
AS 07 465	Sección 2.5 mm MARRÓN	
AS 07 466	Sección 2.5 mm GRIS	
AS 07 467	Sección 2.5 mm TIERRA	
AS 07 469	Section 4 mm BLACK	100 m ROLL
AS 07 470	Section 4 mm BLUE	
AS 07 471	Section 4 mm BROWN	
AS 07 472	Section 4 mm GREY	
AS 07 473	Section 4 mm EARTH	
AS 07 475	Section 6 mm BLACK	100 m ROLL
AS 07 476	Section 6 mm BLUE	
AS 07 477	Section 6 mm BROWN	
AS 07 478	Section 6 mm GREY	
AS 07 479	Section 6 mm EARTH	

www.klimaimport.de®



Klimaimport.de

Vehlener Str. 6-10, 31683 Obernkirchen

Tel +49 (0)5724 95848 20

Fax +49 (0)5724 95848 29

e-mail: info@klimaimport.de

Supplies for Air Conditioning, Ventilation, Heating,
Refrigeration and Insulation Installations